

Proven performance and high reliability – the **blaugelb Saw Blades** are a match for any situation.



# blaugelb HW Saw Blade 250x3.2/2.2x30 mm Z 80 W High-quality saw blades for precise and frequent cuts.

- High quality standard
- Manually levelled
- Long tool life
- High-quality carbide

# blaugelb HW Saw Blade 250x3.2/2.2x30 mm Z 80 W

High-quality saw blades for precise and frequent cuts.



#### **Product features:**

The blaugelb HW Saw Blade 250x3.2/2.2x30 mm Z 80 W with teeth made of high-quality carbide is suitable for decorative veneered, one-sided plastic-coated and surface-coated panel materials with high standards for cutting quality. It is notable for its high quality standard and long service life. The blaugelb HW Saw Blade 250x3.2/2.2x30 mm Z 80 W is manually levelled.

#### Particularly suitable for the following wood materials:

- Solid wood, hard, crosswise up to 30 mm
- Solid wood, soft, crosswise up to 30 mm
- Solid wood, hard, crosswise over 30 mm
- Solid wood, soft, crosswise over 30 mm
- Multi-layer solid sheet, crosswise, 3 S
- Solid wood panels, crosswise
- Core board ST
- Blockboard STAE
- Soft-fibre insulation panels HFD

#### Particularly suitable for the following materials:


- Melamine resin-impregnated laminated fabric
- Medium density fibreboard MDF
- Polycarbonate PC up to 10 mm

### **Product benefits:**

- High quality standard
- Manually levelled
- Long tool life
- High-quality carbide

## **Technical data:**

Diameter:	250 mm
Bore diameter:	30 mm
Cut width:	3.2 mm
Main blade thickness:	2.2 mm
Number of teeth:	80
Teeth material:	Carbide
Tooth shape:	Alternate top bevel
Packing unit:	1 piece



Product name	Ø	PU	Item no.
blaugelb HW Saw Blade 250x3.2/2.2x30 mm Z 80 W	250 mm	1 piece	0399567

#### Suitable machine types

#### Suitable materials

Solid wood, hard, crosswise	
Sold wood, soft, crosswise	
Multi-layer solid sheet, lengthwise/crosswise, 3 S	
Core board ST	
Chipboard FPY	
Oriented strand board, OSB	
Laminated wood, panel, multiplex	

The information provided in this document corresponds to the information and technical details available to the best of our knowledge. However, this does not constitute a guarantee pursuant to section 443 of the German Civil Code (BGB). Our processing instructions are to be considered only as general guidelines and may differ in the individual case due to the range of possible uses and applications. They do therefore not automatically exempt the user from carrying out their own tests. We reserve the right to make technical modifications and enhancements at any time.