

according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

UFI: A4JA-NQ6Q-N008-702A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricants, greases, release products.

Corrosion inhibitors.

Uses advised against

Do not use in cavities.

1.3. Details of the supplier of the safety data sheet

Company name: Meesenburg Großhandel KG

Street: Westerallee 162
Place: 24941 Flensburg

Telephone: +49 (0) 461-5808-0 Telefax: +49 (0) 461-5808-1101

E-mail: stuttgart@meesenburg.de

Contact person: Frau Weingärtner
E-mail: stuttgart@meesenburg.de
Internet: www.meesenburg.de
Responsible Department: Produktmanagement

1.4. Emergency telephone Giftnotruf München: +49 (0) 89-19240 (24h) (deutsch und englisch)

number:

Further Information

Restricted to professional users. Safety data sheet available for professional user on request. Follow the instructions for use on the label. To avoid risks to man and the environment, comply with the instructions for use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 2 of 14

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe Aerosol.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container to according to local / regional / national / international

regulations for disposal.

Additional advice on labelling

Classification according to Regulation (EC) No 1272/2008 [CLP]

Labelling of packages where the contents do not exceed 125 $\,\mathrm{ml}$

Signal word: Danger

Pictograms:





Hazard statements

H222-H229-H412

Precautionary statements

P210-P211-P251-P410+P412

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Do not breathe aerosol. The labeling of an aspiration hazard (Asp. Tox. 1 H304) is for aerosol dispensers and containers with sealed sprayer not required (Regulation (EC) 1272/2008, Annex 1, 1.3.3).

Wear suitable protective clothing, gloves and eye/face protection.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with nonhazardous additions:

Mixture of hydrocarbons and additives.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 3 of 14

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	•		
68476-40-4	Hydrocarbons, C3-4; Petroleum ga	s (Nota K, <0,1% 1,3-Butadien (EINI	ECS 203-450-8))	55 - < 60 %	
	270-681-9	01-2119486557-22			
	Flam. Gas 1, Liquefied gas; H220 I				
	Naphtha (petroleum), Hydrocarbon	lics, <5% n-hexane	10 - < 15 %		
	921-024-6		01-2119475514-35		
	Flam. Liq. 2, Skin Irrit. 2, STOT SE H411	225 H315 H336 H304			
	Naphtha, Hydrocarbons, C10-C13, 64742-48-9)	n-alkanes, isoalkanes, cyclics, < 2%	aromatics (CAS	5 - < 10 %	
	918-481-9		01-2119457273-39		
	Asp. Tox. 1; H304 EUH066				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Limits, M-factors and ATE						
	921-024-6 Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane						
	inhalation: L0 5840 mg/kg	inhalation: LC50 = > 25,2 mg/l (vapours); dermal: LD50 = > 2800 - 3100 mg/kg; oral: LD50 = > 5840 mg/kg					
	918-481-9	Naphtha, Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (CAS 64742-48-9)	5 - < 10 %				
	inhalation: L0 mg/kg	C50 = > 5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000					

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! In all cases of doubt, or when symptoms persist, seek medical advice. Remove contaminated, saturated clothing immediately. Remove persons to safety. Keep away from unprotected people. Keep upwind. Ventilate affected area.

After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest. In case of inhaling spray mist, consult a doctor immediately and show him packing or label.

After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water.Remove contaminated clothing immediatley and dispose off safely. Seek medical attention if problems persist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eyelids open. Protect the injured eye. Consult an ophthalmologist.

After ingestion

No usual way of intake because of aerosol.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: difficulties of breathing. Headache. Dizziness. Dizziness. Coughing.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 4 of 14

Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam. Water spray jet.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours can form explosive mixtures with air. Extremely flammable aerosol. Pressurized container: May burst if heated. Thermal decomposition can lead to the escape of irritating gases and vapors. In case of fire and/or explosion do not breathe fumes.

In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO2). Organic cracking products. aldehydes. Sulphur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

Additional information

Contaminated fire-fighting water must be collected separately. Dispose of fire residues and extinguishing water in accordance with official regulations. Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from

immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Keep away from unprotected people. Keep upwind. Take off immediately all contaminated clothing. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Remove all sources of ignition. Provide adequate ventilation. Wear personal protection equipment.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Stop leak if safe to do so. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

Other information

Ventilate affected area. Use non-sparking tools. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Treat the recovered material as prescribed in the section on waste disposal. Disposal: see section 13. Safe handling: see section 7. Personal protection equipment: see section 8.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 5 of 14

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Do not use in cavities. Flammable vapours can accumulate in head space of closed systems. Avoid contact with skin and eyes. Do not breathe gas/vapour/aerosol. Special danger of slipping by leaking/spilling product.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Advice on protection against fire and explosion

Take precautionary measures against static discharges. Vapours may form explosive mixtures with air. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flames or any incandescent material.

Advice on general occupational hygiene

Work in well-ventilated zones or use proper respiratory protection. Do not eat, drink, smoke or sneeze at the workplace.

Wash hands before breaks and after work. Restore grease film of the skin after cleansing by using a fat cream to prevent dermatitis.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

Further information on handling

Heating causes rise in pressure with risk of bursting. Remove all sources of ignition. Do not spray on naked flames or any incandescent material. After use replace the closing cap immediately.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Observe the storage regulations of the TRGS 300 for flammable aerosols.

Recommended storage temperature: 5 - 30 °C

Hints on joint storage

Do not store together with: Oxidizing agents, strong.

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect against: heat. > 50 °C; UV-radiation/sunlight. frost. moisture.

7.3. Specific end use(s)

Lubricants, greases, release products. Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 6 of 14

DNEL/DMEL values

CAS No	Name of agent								
DNEL type		Exposure route	Effect	Value					
68476-40-4	Hydrocarbons, C3-4; Petroleum gas (Nota K, <0,1% 1,3-Bu	utadien (EINECS 203-450-8))							
Worker DNEL,	long-term	dermal	systemic	23,4 mg/kg bw/day					
	Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, iso	alkanes, cyclics, <5% n	-hexane						
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m³					
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day					
Consumer DN	EL, long-term	inhalation	systemic	608 mg/m³					
Consumer DNI	EL, long-term	dermal	systemic	699 mg/kg bw/day					
Consumer DN	EL, long-term	oral	systemic	699 mg/kg bw/day					

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls













Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Have eye showers and safety shower ready. Provide earthing of containers, equipment, pumps and ventilation facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. EN 166

Hand protection

Protect skin by using skin protective cream.

Tested protective gloves are to be worn: EN ISO 374

Hand protection: NBR (Nitrile rubber).

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Observe the wear time limits as specified by the manufacturer.

Skin protection

When used as intended no extra body protection is required.

Protective clothing: Body protection must be selected depending on the activity and possible impact. EN 13034/6 (Handling larger quantities: Solvent-resistant apron / smock.)

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Self-contained respirator (breathing apparatus)

Thermal hazards

Extremely flammable aerosol. Pressurized container: May burst if heated.

Refrigerated liquefied gas. Contact with the product can cause cold burns or frostbite.

Environmental exposure controls

Leakage into the environment must be prevented. Do not allow uncontrolled leakage of product into the environment.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 7 of 14

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol Colour: dark grey

Odour: like: Hydrocarbons
Odour threshold: not determined

Melting point/freezing point:

Not applicable, aerosol
Boiling point or initial boiling point and

- 42 °C

boiling range:

Flammability: not determined Lower explosion limits: 0.6 vol. % Upper explosion limits: 9,5 vol. % < 0 °C Flash point: > 200 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: Not applicable, aerosol Viscosity / kinematic: not determined Water solubility: **Immiscible**

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

vapour pressure:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Self-ignition temperature

Solid: not determined Gas: not determined

Oxidizing properties not determined

Other safety characteristics

Evaporation rate: not determined Viscosity / dynamic: not determined

Further Information

Technical specifications (Aerosol): Internal pressure (20 $^{\circ}$ C) = 0,30 MPa; Internal pressure (50 $^{\circ}$ C) = 0,75 MPa aerosol container: nominal volume 400 ml; void 520 ml; Test pressure 1,5 MPa

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 8 of 14

10.4. Conditions to avoid

Ignition hazard. In case of exceeding the storage temperature: >50 °C Danger of bursting container. Remove all sources of ignition. Protect from moisture.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO2). Organic cracking products. aldehydes. Sulphur oxides.

Further information

In case of exceeding the storage temperature: > 50 °C Danger of bursting container.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
	Naphtha (petroleum), Hy	drocarbons,	C6-C7, n-alk	anes, isoalkanes, cyclics,	<5% n-hexane				
	oral	LD50 mg/kg	> 5840	Rat (Rattus).	ECHA	Standard acute method			
	dermal	LD50 3100 mg/kg	> 2800 -	Rat	Study report (1977)	The acute toxicity of SBP 100/140 was de			
	inhalation (4 h) vapour	LC50 mg/l	> 25,2	Rat	Study report (1988)	Group of rats were exposed to test subst			
	Naphtha, Hydrocarbons,	C10-C13, n-	alkanes, iso	alkanes, cyclics, < 2% aro	matics (CAS 64742-48-9)				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 401			
	dermal LD50 > 2000 mg/kg		LD50 > 2000 Rat mg/kg	Rat	Study report (1989)	OECD Guideline 402			
	inhalation (4 h) dust/mist	LC50	> 5 mg/l	Rat (Rattus).	ECHA	OECD 403			

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 9 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

The labeling of an aspiration hazard (Asp. Tox. 1 H304) is for aerosol dispensers and containers with sealed sprayer not required (Regulation (EC) 1272/2008, Annex 1, 1.3.3).

Information on likely routes of exposure

inhalation, Dermal, Eye contact.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

There are no data available on the preparation/mixture itself. Leakage into the environment must be prevented.



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 10 of 14

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
68476-40-4	Hydrocarbons, C3-4; Petr	oleum gas	(Nota K, <0,1	% 1,3-Bı	utadien (EINECS 203-450	0-8))				
	Acute fish toxicity	LC50 mg/l	49,47	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo			
	Acute algae toxicity	ErC50 mg/l	12,32	96 h	algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.			
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.			
	Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane									
	Acute fish toxicity	LL50 mg/l	11,4	96 h	Oncorhynchus mykiss (Rainbow trout)	CEFIC 1995	OECD 203			
	Acute algae toxicity	ErC50 mg/l	10 - 30	72 h	Pseudokirchneriella subcapitata	Study report (1995)	OECD Guideline 201			
	Acute crustacea toxicity	EL50	3 mg/l	48 h	Daphnia magna (Big water flea)	Shell 1994	OECD 202			
	Fish toxicity	NOEC mg/l	2,045	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a			
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 211			
	Naphtha, Hydrocarbons,	C10-C13, n	-alkanes, isoa	alkanes,	cyclics, < 2% aromatics (CAS 64742-48-9)				
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	OECD 203			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna (Big water flea)	ECHA				

12.2. Persistence and degradability

No further relevant information available.

INO IU	No lui ulei Televani inionnation available.							
CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
	Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane							
	OECD 301F	98 %	28	ECHA				
	oxygen consumption	83 %	16	ECHA				
	Naphtha, Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (CAS 64742-48-9)							
	OECD 301F	80 %	28	ECHA				

12.3. Bioaccumulative potential

No further relevant information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68476-40-4	Hydrocarbons, C3-4; Petroleum gas (Nota K, <0,1% 1,3-Butadien (EINECS 203-450-8))	1,09



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 11 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
	Naphtha (petroleum), Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	242 - 253		SDS
	Naphtha, Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (CAS 64742-48-9)	144,3	calculated	Other company data (

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Harmful to aquatic life with long lasting effects.

Further information

Do not allow uncontrolled leakage of product into the environment. Doesn't get into the sewage water as long as the process is carried out according to regulations. hazardous to water (WGK 2)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Consult the appropriate authorities about waste disposal. Dispose of waste according to applicable legislation. Only take completely empty aerosol cans to the recycling collection. Return cans that are not completely empty to the collection point for household chemicals. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group: Hazard label: 2.1



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 12 of 14



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS

 14.3. Transport hazard class(es):
 2

 14.4. Packing group:

 Hazard label:
 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Marine pollutant:

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger: 203 IATA-max. quantity - Passenger: 75 kg



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 13 of 14

IATA-packing instructions - Cargo: 203 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning

14.7. Maritime transport in bulk according to IMO instruments

No data available

Other applicable information

Transport as "limited quantity" according to chapter 3.4 ADR/RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 78,2 % (504,39 g/l)

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

Additional information

REACH Regulation (EC) No 1907/2006, as last amended by Commission Regulation (EU) 2022/586

CLP Regulation (EC) No 1272/2008, as last amended by Regulation (EU) 2021/1962

In the following under "NK" all volatile organic substances are quantitatively summed up, which according to

chapter 5.2.5 of the TA-Luft are neither Class I nor Class II.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches

Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße) IMDG: International

Maritime Code for Dangerous Goods (Internationaler Seeschifffahrtscode für gefährliche Güter) IATA:

International Air Transport Association (Internationaler Luftverkehrsverband) GHS: Global harmonisiertes

System zur Einstufung und Kennzeichnung von Chemikalien EINECS: Europäisches Verzeichnis der auf dem

Markt vorhandenen chemischen Stoffe ELINCS: European List of Notified Chemical Substances CAS:

Chemical Abstracts Service LC50: Tödliche Konzentration, 50% LD50: Tödliche Dosis, 50%

Flam. Gas: Flammable gases

Aerosol: Aerosols

Liquefied gas: Liquefied gas Flam. Liq: Flammable liquid Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

BLAUGELB ROSTLÖSER-KONTAKTSPRAY (250064)

Revision date: 27.02.2023 Product code: 250064 Page 14 of 14

Key literature references and sources for data

Information from our suppliers as well as data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used for the preparation of this safety data sheet.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. This information is intended to give you indications for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. Insofar as the product is mixed with other materials, mixed or processed, or subjected to processing, the information in this safety data sheet, unless expressly stated otherwise, can not be transferred to the new material produced in this way.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Lubricants, greases, release products, Industrial spraying, Non industrial spraying	-	3, 22	24	7, 11	-	-	-	Aerosol

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)