

Proven performance and high reliability – the **blaugelb Saw Blades** are a match for any situation.



blaugelb HW Saw Blade 160x2.2/1.2x20 mm Z 48 TF

High-quality saw blades for precise and frequent cuts.

Product features:

The blaugelb HW Saw Blade 160x2.2/1.2x20 mm Z 48 TF with teeth made of high-quality carbide is suitable for finish cuts in thermoplastic solid plates (acrylic glass, polyethylene etc.) up to 10 mm thick and thermosetting solid plates (laminates, laminated paper, laminated fabric) up to 6 mm thick. It is notable for its high quality standard and long service life. The blaugelb HW Saw Blade 160x2.2/1.2x20 mm Z 48 TF is manually levelled.


Particularly suitable for the following materials:

- Medium density fibreboard MDF
- High pressure laminate HPL
- Resopal
- Plasterboard
- Mineral dusts in PMMA
- Acrylic glass up to 10 mm
- PMMA twin-wall sheets

- High quality standard
- Manually levelled
- Long tool life
- High-quality carbide

**Technical data:**

| | |
|-----------------------|------------------------|
| Diameter: | 160 mm |
| Bore diameter: | 20 mm |
| Cut width: | 2.2 mm |
| Main blade thickness: | 1.2 mm |
| Number of teeth: | 48 |
| Teeth material: | Carbide |
| Tooth shape: | Trapezoidal flat tooth |
| Packing unit: | 1 piece |



| Product name | Ø | PU | Item no. |
|---|--------|---------|----------|
| blaugelb HW Saw Blade 160x2.2/1.2x20 mm Z 48 TF | 160 mm | 1 piece | 0399557 |

Suitable machine types

Hand-held circular saw

Circular table saw

Suitable materials

Melamine resin panel, Trespa®, Max®

Aluminium panels, AL

Mineral dusts in PMMA, Corian®

GRP, glass fibre-reinforced plastic

PMMA, acrylic glass, Plexiglas®

PTFE, Teflon®, polytetrafluoroethylene

HPL, high pressure laminate, Resopal®

CPL, continuous pressure laminate